




Trial Report

Impact of YaraVita Brassitrel on sunflower yield



Oil content was higher at variants treated with YaraVita Brassitrel

Impact of micronutrient sprays on sunflower yield and oil content

Trial Code	2008-CZ-Sunflower-F
Contractor	Mendel's Univ. of
Contact	Kovarik, Vojtech
Crop	Sunflower
Country	Czech Republic
Trial Type	Open Field
Quality	Scientific Trial
Application	Foliar
Products	Brassitrel

On the site SZP Zabice the Mendel's University of Agriculture and Forestry conducted a trial in sunflower, variety Orasole. Soil type: Brown soil

Treatments: (Number of replicates: 4)

1. no foliar fertilization
2. Brassitrel (2 kg/ha; BBCH 19)
3. Brassitrel (2 kg/ha; BBCH 30)

Spring before planting: 100 kg N/ha as UAN

17. April: Planting date

30. May: Foliar application (BBCH 19 = 6-9 developed leaves)

10. June: Foliar application (BBCH 30 = stem elongation beginning)

30. Sept.: Harvest

The information provided is accurate to the best of Yara's knowledge and belief. Any recommendations are meant as a guide and must be adapted to suit local conditions. No guarantee as to, or responsibility for their accuracy can be accepted and no statement herein is to be treated as a representation or warranty.